


Insulated sleeve terminals, HI...ERHL type

FEATURES & BENEFITS

- thin-walled terminal Cu, with insulation sleeve, for multi-wire flexible cables
- insulating sleeve: enhances resistance to vibrations, mitigates short-circuit risk, facilitates cable installation
- insulation colours facilitate cross-section identification



MECHANICAL DATA

Insulation	polypropylene
Halogen-free	yes
Material	Cu
Covering	tin-plated
Operating temperature [°C]	-30 ÷ +95

CERTIFICATES & STANDARDS

Design	DIN 46228/4 (only DIN colour)
--------	-------------------------------

Note!

Other lengths and colours on request.

UL certificate - for up-to-date information, visit www.ergom.com



Type	Index Ergom	Cross-section [mm²]	AWG cross-section	L ₁	L ₂	d ₁	d ₂	s ₁	s ₂	Insulation color	DIN	Quantity in package [pcs]	Weight [kg]
HI 0,14/6 ERHL (100 PCS)	E08KH-02010110101	0,14	26	10,0	6	0,70	1,6	0,15	0,25	grey	–	100	0.01
HI 0,14/6 ERHL (500 PCS)	E08KH-02010100101	0,14	26	10,0	6	0,70	1,6	0,15	0,25	grey	–	500	0.02
HI 0,14/6 F ERHL (500 PCS)	E08KH-02010100201	0,14	26	10,0	6	0,70	1,6	0,15	0,25	brown	–	500	0.02
HI 0,14/6 F ERHL (100 PCS)	E08KH-02010110201	0,14	26	10,0	6	0,70	1,6	0,15	0,25	brown	–	100	0.01
HI 0,14/8 ERHL (500 PCS)	E08KH-02010100151	0,14	26	12,0	8	0,70	1,6	0,15	0,25	grey	–	500	0.025
HI 0,14/8 F ERHL (500 PCS)	E08KH-02010100251	0,14	26	12,0	8	0,70	1,6	0,15	0,25	brown	–	500	0.025
HI 0,25/6 DIN ERHL (500 PCS)	E08KH-02010100401	0,25	24	10,0	6	0,75	1,8	0,15	0,25	yellow	–	500	0.03
HI 0,25/6 DIN ERHL (100 PCS)	E08KH-02010110401	0,25	24	10,0	6	0,75	1,8	0,15	0,25	yellow	–	100	0.01
HI 0,25/6 ERHL (500 PCS)	E08KH-02010100301	0,25	24	10,0	6	0,75	1,8	0,15	0,25	blue	–	500	0.03
HI 0,25/6 ERHL (100 PCS)	E08KH-02010110301	0,25	24	10,0	6	0,75	1,8	0,15	0,25	blue	–	100	0.01
HI 0,25/6 F ERHL (500 PCS)	E08KH-02010100501	0,25	24	10,0	6	0,75	1,8	0,15	0,25	violet	–	500	0.03
HI 0,25/6 F ERHL (100 PCS)	E08KH-02010110501	0,25	24	10,0	6	0,75	1,8	0,15	0,25	violet	–	100	0.01
HI 0,25/8 DIN ERHL (500 PCS)	E08KH-02010100701	0,25	24	12,0	8	0,75	1,8	0,15	0,25	yellow	–	500	0.04
HI 0,25/8 DIN ERHL (100 PCS)	E08KH-02010110701	0,25	24	12,0	8	0,75	1,8	0,15	0,25	yellow	–	100	0.01
HI 0,25/8 ERHL (500 PCS)	E08KH-02010100601	0,25	24	12,0	8	0,75	1,8	0,15	0,25	blue	–	500	0.04
HI 0,25/8 ERHL (100 PCS)	E08KH-02010110601	0,25	24	12,0	8	0,75	1,8	0,15	0,25	blue	–	100	0.01
HI 0,25/8 F ERHL (500 PCS)	E08KH-02010100801	0,25	24	12,0	8	0,75	1,8	0,15	0,25	violet	–	500	0.04
HI 0,25/8 F ERHL (100 PCS)	E08KH-02010110801	0,25	24	12,0	8	0,75	1,8	0,15	0,25	violet	–	100	0.01
HI 0,34/6 ERHL (500 PCS)	E08KH-02010100901	0,34	22	10,0	6	0,80	2,0	0,15	0,25	turquoise	–	500	0.04
HI 0,34/6 ERHL (100 PCS)	E08KH-02010110901	0,34	22	10,0	6	0,80	2,0	0,15	0,25	turquoise	–	100	0.01
HI 0,34/6 F ERHL (500 PCS)	E08KH-02010101001	0,34	22	10,0	6	0,80	2,0	0,15	0,25	rose	–	500	0.04
HI 0,34/6 F ERHL (100 PCS)	E08KH-02010111001	0,34	22	10,0	6	0,80	2,0	0,15	0,25	rose	–	100	0.01
HI 0,34/8 ERHL (500 PCS)	E08KH-02010101101	0,34	22	12,0	8	0,80	2,0	0,15	0,25	turquoise	–	500	0.04
HI 0,34/8 ERHL (100 PCS)	E08KH-02010111201	0,34	22	12,0	8	0,80	2,0	0,15	0,25	turquoise	–	100	0.01
HI 0,34/8 F ERHL (500 PCS)	E08KH-02010101201	0,34	22	12,0	8	0,80	2,0	0,15	0,25	rose	–	500	0.04
HI 0,34/8 F ERHL (100 PCS)	E08KH-02010111101	0,34	22	12,0	8	0,80	2,0	0,15	0,25	rose	–	100	0.01
HI 0,5/6 ERHL (500 PCS)	E08KH-02010101301	0,5	20	12,0	6	1,00	2,6	0,15	0,25	orange	✓	500	0.04

Type	Index Ergom	Cross-section [mm ²]	AWG cross-section	L ₁	L ₂	d ₁	d ₂	s ₁	s ₂	Insulation color	DIN	Quantity in package [pcs]	Weight [kg]
HI 0,5/6 ERHL (100 PCS)	E08KH-02010111301	0,5	20	12,0	6	1,00	2,6	0,15	0,25	orange	✓	100	0.01
HI 0,5/6 DIN ERHL (500 PCS)	E08KH-02010101401	0,5	20	12,0	6	1,00	2,6	0,15	0,25	white	✓	500	0.04
HI 0,5/6 DIN ERHL (100 PCS)	E08KH-02010111401	0,5	20	12,0	6	1,00	2,6	0,15	0,25	white	✓	100	0.01
HI 0,5/8 ERHL (500 PCS)	E08KH-02010101501	0,5	20	14,0	8	1,00	2,6	0,15	0,25	orange	✓	500	0.04
HI 0,5/8 ERHL (100 PCS)	E08KH-02010111521	0,5	20	14,0	8	1,00	2,6	0,15	0,25	orange	✓	100	0.01
HI 0,5/8 DIN ERHL (500 PCS)	E08KH-02010101601	0,5	20	14,0	8	1,00	2,6	0,15	0,25	white	✓	500	0.04
HI 0,5/8 DIN ERHL (100 PCS)	E08KH-02010111621	0,5	20	14,0	8	1,00	2,6	0,15	0,25	white	✓	100	0.01
HI 0,5/10 ERHL (500 PCS)	E08KH-02010101701	0,5	20	16,0	10	1,00	2,6	0,15	0,25	orange	✓	500	0.05
HI 0,5/10 ERHL (100 PCS)	E08KH-02010111701	0,5	20	16,0	10	1,00	2,6	0,15	0,25	orange	✓	100	0.01
HI 0,5/10 DIN ERHL (500 PCS)	E08KH-02010101801	0,5	20	16,0	10	1,00	2,6	0,15	0,25	white	✓	500	0.05
HI 0,5/10 DIN ERHL (100 PCS)	E08KH-02010111801	0,5	20	16,0	10	1,00	2,6	0,15	0,25	white	✓	100	0.01
HI 0,75/6 ERHL (500 PCS)	E08KH-02010101901	0,75	20	12,0	6	1,20	2,8	0,15	0,25	white	✓	500	0.04
HI 0,75/6 ERHL (100 PCS)	E08KH-02010111901	0,75	20	12,0	6	1,20	2,8	0,15	0,25	white	✓	100	0.01
HI 0,75/6 DIN ERHL (500 PCS)	E08KH-02010102001	0,75	20	12,0	6	1,20	2,8	0,15	0,25	grey	✓	500	0.04
HI 0,75/6 DIN ERHL (100 PCS)	E08KH-02010112001	0,75	20	12,0	6	1,20	2,8	0,15	0,25	grey	✓	100	0.01
HI 0,75/6 F ERHL (500 PCS)	E08KH-02010102101	0,75	20	12,0	6	1,20	2,8	0,15	0,25	blue	✓	500	0.04
HI 0,75/6 F ERHL (100 PCS)	E08KH-02010112101	0,75	20	12,0	6	1,20	2,8	0,15	0,25	blue	✓	100	0.01
HI 0,75/8 ERHL (500 PCS)	E08KH-02010102201	0,75	20	14,0	8	1,20	2,8	0,15	0,25	white	✓	500	0.04
HI 0,75/8 ERHL (100 PCS)	E08KH-02010112221	0,75	20	14,0	8	1,20	2,8	0,15	0,25	white	✓	100	0.01
HI 0,75/8 DIN ERHL (500 PCS)	E08KH-02010102301	0,75	20	14,0	8	1,20	2,8	0,15	0,25	grey	✓	500	0.04
HI 0,75/8 DIN ERHL (100 PCS)	E08KH-02010112321	0,75	20	14,0	8	1,20	2,8	0,15	0,25	grey	✓	100	0.01
HI 0,75/8 F ERHL (500 PCS)	E08KH-02010102401	0,75	20	14,0	8	1,20	2,8	0,15	0,25	blue	✓	500	0.04
HI 0,75/8 F ERHL (100 PCS)	E08KH-02010112401	0,75	20	14,0	8	1,20	2,8	0,15	0,25	blue	✓	100	0.01
HI 0,75/10 ERHL (500 PCS)	E08KH-02010102501	0,75	20	16,0	10	1,20	2,8	0,15	0,25	white	✓	500	0.05
HI 0,75/10 ERHL (100 PCS)	E08KH-02010112501	0,75	20	16,0	10	1,20	2,8	0,15	0,25	white	✓	100	0.01
HI 0,75/10 DIN ERHL (500 PCS)	E08KH-02010102601	0,75	20	16,0	10	1,20	2,8	0,15	0,25	grey	✓	500	0.05
HI 0,75/10 DIN ERHL (100 PCS)	E08KH-02010112601	0,75	20	16,0	10	1,20	2,8	0,15	0,25	grey	✓	100	0.01
HI 0,75/10 F ERHL (500 PCS)	E08KH-02010102701	0,75	20	16,0	10	1,20	2,8	0,15	0,25	blue	✓	500	0.05
HI 0,75/10 F ERHL (100 PCS)	E08KH-02010112701	0,75	20	16,0	10	1,20	2,8	0,15	0,25	blue	✓	100	0.01
HI 0,75/12 ERHL (500 PCS)	E08KH-02010102801	0,75	20	18,0	12	1,20	2,8	0,15	0,25	white	✓	500	0.06
HI 0,75/12 ERHL (100 PCS)	E08KH-02010112801	0,75	20	18,0	12	1,20	2,8	0,15	0,25	white	✓	100	0.02
HI 0,75/12 DIN ERHL (500 PCS)	E08KH-02010102901	0,75	20	18,0	12	1,20	2,8	0,15	0,25	grey	✓	500	0.06
HI 0,75/12 DIN ERHL (100 PCS)	E08KH-02010112901	0,75	20	18,0	12	1,20	2,8	0,15	0,25	grey	✓	100	0.02
HI 0,75/12 F ERHL (500 PCS)	E08KH-02010103001	0,75	20	18,0	12	1,20	2,8	0,15	0,25	blue	✓	500	0.06
HI 0,75/12 F ERHL (100 PCS)	E08KH-02010113001	0,75	20	18,0	12	1,20	2,8	0,15	0,25	blue	✓	100	0.02
HI 1/6 ERHL (500 PCS)	E08KH-02010103101	1	18	12,0	6	1,40	3,0	0,15	0,25	yellow	✓	500	0.05
HI 1/6 ERHL (100 PCS)	E08KH-02010113101	1	18	12,0	6	1,40	3,0	0,15	0,25	yellow	✓	100	0.01
HI 1/6 DIN ERHL (500 PCS)	E08KH-02010103201	1	18	12,0	6	1,40	3,0	0,15	0,25	red	✓	500	0.05
HI 1/6 DIN ERHL (100 PCS)	E08KH-02010113201	1	18	12,0	6	1,40	3,0	0,15	0,25	red	✓	100	0.01
HI 1/8 ERHL (500 PCS)	E08KH-02010103301	1	18	14,0	8	1,40	3,0	0,15	0,25	yellow	✓	500	0.05
HI 1/8 ERHL (100 PCS)	E08KH-02010113321	1	18	14,0	8	1,40	3,0	0,15	0,25	yellow	✓	100	0.01
HI 1/8 DIN ERHL (500 PCS)	E08KH-02010103401	1	18	14,0	8	1,40	3,0	0,15	0,25	red	✓	500	0.05
HI 1/8 DIN ERHL (100 PCS)	E08KH-02010113421	1	18	14,0	8	1,40	3,0	0,15	0,25	red	✓	100	0.01
HI 1/10 ERHL (500 PCS)	E08KH-02010103501	1	18	16,0	10	1,40	3,0	0,15	0,25	yellow	✓	500	0.06
HI 1/10 ERHL (100 PCS)	E08KH-02010113501	1	18	16,0	10	1,40	3,0	0,15	0,25	yellow	✓	100	0.02
HI 1/10 DIN ERHL (500 PCS)	E08KH-02010103601	1	18	16,0	10	1,40	3,0	0,15	0,25	red	✓	500	0.06
HI 1/10 DIN ERHL (100 PCS)	E08KH-02010113601	1	18	16,0	10	1,40	3,0	0,15	0,25	red	✓	100	0.02
HI 1/12 ERHL (500 PCS)	E08KH-02010103701	1	18	18,0	12	1,40	3,0	0,15	0,25	yellow	✓	500	0.07
HI 1/12 ERHL (100 PCS)	E08KH-02010113701	1	18	18,0	12	1,40	3,0	0,15	0,25	yellow	✓	100	0.02
HI 1/12 DIN ERHL (500 PCS)	E08KH-02010103801	1	18	18,0	12	1,40	3,0	0,15	0,25	red	✓	500	0.07
HI 1/12 DIN ERHL (100 PCS)	E08KH-02010113801	1	18	18,0	12	1,40	3,0	0,15	0,25	red	✓	100	0.02
HI 1,5/6 DIN ERHL (500 PCS)	E08KH-02010104000	1,5	16	12,0	6	1,70	3,5	0,15	0,25	red		500	0.051
HI 1,5/8 ERHL (500 PCS)	E08KH-02010104001	1,5	16	14,0	8	1,70	3,5	0,15	0,25	red	✓	500	0.06
HI 1,5/8 ERHL (100 PCS)	E08KH-02010113921	1,5	16	14,0	8	1,70	3,5	0,15	0,25	red	✓	100	0.02
HI 1,5/8 DIN ERHL (500 PCS)	E08KH-02010104101	1,5	16	14,0	8	1,70	3,5	0,15	0,25	black	✓	500	0.06
HI 1,5/8 DIN ERHL (100 PCS)	E08KH-02010114021	1,5	16	14,0	8	1,70	3,5	0,15	0,25	black	✓	100	0.02
HI 1,5/10 ERHL (500 PCS)	E08KH-02010104201	1,5	16	16,0	10	1,70	3,5	0,15	0,25	red	✓	500	0.07
HI 1,5/10 ERHL (100 PCS)	E08KH-02010114121	1,5	16	16,0	10	1,70	3,5	0,15	0,25	red	✓	100	0.02
HI 1,5/10 DIN ERHL (500 PCS)	E08KH-02010104301	1,5	16	16,0	10	1,70	3,5	0,15	0,25	black	✓	500	0.07
HI 1,5/10 DIN ERHL (100 PCS)	E08KH-02010114201	1,5	16	16,0	10	1,70	3,5	0,15	0,25	black	✓	100	0.02
HI 1,5/12 ERHL (500 PCS)	E08KH-02010104401	1,5	16	18,0	12	1,70	3,5	0,15	0,25	red	✓	500	0.07
HI 1,5/12 ERHL (100 PCS)	E08KH-02010114301	1,5	16	18,0	12	1,70	3,5	0,15	0,25	red	✓	100	0.02

Type	Index Ergom	Cross-section [mm ²]	AWG cross-section	L ₁	L ₂	d ₁	d ₂	s ₁	s ₂	Insulation color	DIN	Quantity in package [pcs]	Weight [kg]
HI 1,5/12 DIN ERHL (500 PCS)	E08KH-02010104501	1,5	16	18,0	12	1,70	3,5	0,15	0,25	black	✓	500	0.07
HI 1,5/12 DIN ERHL (100 PCS)	E08KH-02010114401	1,5	16	18,0	12	1,70	3,5	0,15	0,25	black	✓	100	0.02
HI 1,5/18 ERHL (500 PCS)	E08KH-02010104601	1,5	16	24,0	18	1,70	3,5	0,15	0,25	red	✓	500	0.1
HI 1,5/18 ERHL (100 PCS)	E08KH-02010114501	1,5	16	24,0	18	1,70	3,5	0,15	0,25	red	✓	100	0.02
HI 1,5/18 DIN ERHL (500 PCS)	E08KH-02010104701	1,5	16	24,0	18	1,70	3,5	0,15	0,25	black	✓	500	0.1
HI 1,5/18 DIN ERHL (100 PCS)	E08KH-02010114601	1,5	16	24,0	18	1,70	3,5	0,15	0,25	black	✓	100	0.02
HI 2,5/8 ERHL (500 PCS)	E08KH-02010104900	2,5	14	14,0	8	2,20	4,2	0,15	0,25	blue	✓	500	0.08
HI 2,5/8 ERHL (100 PCS)	E08KH-02010104902	2,5	14	14,0	8	2,20	4,2	0,15	0,25	blue	✓	100	0.02
HI 2,5/8 F ERHL (500 PCS)	E08KH-02010104800	2,5	14	14,0	8	2,20	4,2	0,15	0,25	grey	✓	500	0.08
HI 2,5/8 F ERHL (100 PCS)	E08KH-02010104802	2,5	14	14,0	8	2,20	4,2	0,15	0,25	grey	✓	100	0.02
HI 2,5/10 ERHL (500 PCS)	E08KH-02010105000	2,5	14	16,0	10	2,20	4,2	0,15	0,25	blue	–	500	0.09
HI 2,5/10 ERHL (100 PCS)	E08KH-02010105002	2,5	14	16,0	10	2,20	4,2	0,15	0,25	blue	–	100	0.02
HI 2,5/10 F ERHL (500 PCS)	E08KH-02010105100	2,5	14	16,0	10	2,20	4,2	0,15	0,25	grey	–	500	0.09
HI 2,5/10 F ERHL (100 PCS)	E08KH-02010105102	2,5	14	16,0	10	2,20	4,2	0,15	0,25	grey	–	100	0.02
HI 2,5/12 ERHL (500 PCS)	E08KH-02010105200	2,5	14	18,0	12	2,20	4,2	0,15	0,25	blue	✓	500	0.1
HI 2,5/12 ERHL (100 PCS)	E08KH-02010105202	2,5	14	18,0	12	2,20	4,2	0,15	0,25	blue	✓	100	0.02
HI 2,5/12 F ERHL (500 PCS)	E08KH-02010105300	2,5	14	18,0	12	2,20	4,2	0,15	0,25	grey	✓	500	0.1
HI 2,5/12 F ERHL (100 PCS)	E08KH-02010105302	2,5	14	18,0	12	2,20	4,2	0,15	0,25	grey	✓	100	0.02
HI 2,5/18 ERHL (500 PCS)	E08KH-02010105401	2,5	14	24,0	18	2,20	4,2	0,15	0,25	blue	✓	500	0.12
HI 2,5/18 ERHL (100 PCS)	E08KH-02010115301	2,5	14	24,0	18	2,20	4,2	0,15	0,25	blue	✓	100	0.03
HI 2,5/18 F ERHL (500 PCS)	E08KH-02010105501	2,5	14	24,0	18	2,20	4,2	0,15	0,25	grey	✓	500	0.12
HI 2,5/18 F ERHL (100 PCS)	E08KH-02010115401	2,5	14	24,0	18	2,20	4,2	0,15	0,25	grey	✓	100	0.03
HI 4/10 ERHL (500 PCS)	E08KH-02010105601	4	12	17,0	10	2,80	4,8	0,20	0,30	grey	✓	500	0.15
HI 4/10 ERHL (100 PCS)	E08KH-02010115521	4	12	17,0	10	2,80	4,8	0,20	0,30	grey	✓	100	0.03
HI 4/10 F ERHL (500 PCS)	E08KH-02010105701	4	12	17,0	10	2,80	4,8	0,20	0,30	orange	✓	500	0.15
HI 4/10 F ERHL (100 PCS)	E08KH-02010115601	4	12	17,0	10	2,80	4,8	0,20	0,30	orange	✓	100	0.03
HI 4/12 ERHL (500 PCS)	E08KH-02010105801	4	12	20,0	12	2,80	4,8	0,20	0,30	grey	✓	500	0.16
HI 4/12 ERHL (100 PCS)	E08KH-02010115721	4	12	20,0	12	2,80	4,8	0,20	0,30	grey	✓	100	0.04
HI 4/12 F ERHL (500 PCS)	E08KH-02010105901	4	12	20,0	12	2,80	4,8	0,20	0,30	orange	✓	500	0.16
HI 4/12 F ERHL (100 PCS)	E08KH-02010115801	4	12	20,0	12	2,80	4,8	0,20	0,30	orange	✓	100	0.04
HI 4/18 ERHL (500 PCS)	E08KH-02010106001	4	12	26,0	18	2,80	4,8	0,20	0,30	grey	✓	500	0.22
HI 4/18 ERHL (100 PCS)	E08KH-02010115901	4	12	26,0	18	2,80	4,8	0,20	0,30	grey	✓	100	0.05
HI 4/18 F ERHL (500 PCS)	E08KH-02010106101	4	12	26,0	18	2,80	4,8	0,20	0,30	orange	✓	500	0.22
HI 4/18 F ERHL (100 PCS)	E08KH-02010116001	4	12	26,0	18	2,80	4,8	0,20	0,30	orange	✓	100	0.05
HI 6/10 ERHL (100 PCS)	E08KH-02010106131	6	10	18,0	10	3,50	6,3	0,20	0,30	black	–	100	0.04
HI 6/10 DIN ERHL (100 PCS)	E08KH-02010106151	6	10	18,0	10	3,50	6,3	0,20	0,30	yellow	–	100	0.04
HI 6/10 F ERHL (100 PCS)	E08KH-02010106181	6	10	18,0	10	3,50	6,3	0,20	0,30	green	–	100	0.04
HI 6/12 ERHL (100 PCS)	E08KH-02010106201	6	10	20,0	12	3,50	6,3	0,20	0,30	black	✓	100	0.05
HI 6/12 DIN ERHL (100 PCS)	E08KH-02010106301	6	10	20,0	12	3,50	6,3	0,20	0,30	yellow	✓	100	0.05
HI 6/12 F ERHL (100 PCS)	E08KH-02010106401	6	10	20,0	12	3,50	6,3	0,20	0,30	green	✓	100	0.05
HI 6/15 ERHL (100 PCS)	E08KH-02010106440	6	10	23,0	15	3,50	6,3	0,20	0,30	black	✓	100	0.05
HI 6/15 F ERHL (100 PCS)	E08KH-02010106480	6	10	23,0	15	3,50	6,3	0,20	0,30	green	–	100	0.05
HI 6/18 ERHL (100 PCS)	E08KH-02010106501	6	10	26,0	18	3,50	6,3	0,20	0,30	black	✓	100	0.06
HI 6/18 F ERHL (100 PCS)	E08KH-02010106701	6	10	26,0	18	3,50	6,3	0,20	0,30	green	✓	100	0.06
HI 6/18 DIN ERHL (100 PCS)	E08KH-02010106601	6	10	26,0	18	3,50	6,3	0,20	0,30	yellow	✓	100	0.06
HI 10/12 ERHL (100 PCS)	E08KH-02010106801	10	8	22,0	12	4,50	7,6	0,20	0,40	ivory	✓	100	0.06
HI 10/12 DIN ERHL (100 PCS)	E08KH-02010106901	10	8	22,0	12	4,50	7,6	0,20	0,40	red	✓	100	0.06
HI 10/12 F ERHL (100 PCS)	E08KH-02010107001	10	8	22,0	12	4,50	7,6	0,20	0,40	brown	✓	100	0.06
HI 10/15 ERHL (100 PCS)	E08KH-02010107101	10	8	25,0	15	4,50	7,6	0,20	0,40	ivory	–	100	0.07
HI 10/15 DIN ERHL (100 PCS)	E08KH-02010107201	10	8	25,0	15	4,50	7,6	0,20	0,40	red	–	100	0.07
HI 10/15 F ERHL (100 PCS)	E08KH-02010107301	10	8	25,0	15	4,50	7,6	0,20	0,40	brown	–	100	0.07
HI 10/18 ERHL (100 PCS)	E08KH-02010107401	10	8	28,0	18	4,50	7,6	0,20	0,40	ivory	✓	100	0.08
HI 10/18 DIN ERHL (100 PCS)	E08KH-02010107501	10	8	28,0	18	4,50	7,6	0,20	0,40	red	✓	100	0.08
HI 10/18 F ERHL (100 PCS)	E08KH-02010107601	10	8	28,0	18	4,50	7,6	0,20	0,40	brown	✓	100	0.08
HI 16/12 ERHL (100 PCS)	E08KH-02010107701	16	6	24,0	12	5,80	8,8	0,20	0,40	green	✓	100	0.08
HI 16/12 DIN ERHL (100 PCS)	E08KH-02010107801	16	6	24,0	12	5,80	8,8	0,20	0,40	blue	✓	100	0.08
HI 16/12 F ERHL (100 PCS)	E08KH-02010107901	16	6	24,0	12	5,80	8,8	0,20	0,40	ivory	✓	100	0.08
HI 16/15 ERHL (100 PCS)	E08KH-02010107950	16	6	27,0	15	3,50	8,8	0,20	0,40	green	–	100	0.05
HI 16/15 DIN ERHL (100 PCS)	E08KH-02010107941	16	6	27,0	15	3,50	8,8	0,20	0,40	blue	–	100	0.05
HI 16/15 F ERHL (100 PCS)	E08KH-02010107960	16	6	27,0	15	3,50	8,8	0,20	0,40	white	–	100	0.05
HI 16/18 ERHL (100 PCS)	E08KH-02010108001	16	6	30,0	18	5,80	8,8	0,20	0,40	green	✓	100	0.1
HI 16/18 DIN ERHL (100 PCS)	E08KH-02010108101	16	6	30,0	18	5,80	8,8	0,20	0,40	blue	✓	100	0.1

Type	Index Ergom	Cross-section [mm ²]	AWG cross-section	L ₁	L ₂	d ₁	d ₂	s ₁	s ₂	Insulation color	DIN	Quantity in package [pcs]	Weight [kg]
HI 16/18 F ERHL (100 PCS)	E08KH-02010108201	16	6	30,0	18	5,80	8,8	0,20	0,40	ivory	√	100	0.1
HI 25/16 ERHL (50 PCS)	E08KH-02010108301	25	4	30,0	16	7,30	11,2	0,20	0,40	brown	√	50	0.06
HI 25/16 DIN ERHL (50 PCS)	E08KH-02010108401	25	4	30,0	16	7,30	11,2	0,20	0,40	yellow	√	50	0.06
HI 25/16 F ERHL (50 PCS)	E08KH-02010108501	25	4	30,0	16	7,30	11,2	0,20	0,40	black	√	50	0.06
HI 25/22 ERHL (50 PCS)	E08KH-02010108601	25	4	36,0	22	7,30	11,2	0,20	0,40	brown	√	50	0.08
HI 25/22 DIN ERHL (50 PCS)	E08KH-02010108701	25	4	36,0	22	7,30	11,2	0,20	0,40	yellow	√	50	0.08
HI 25/22 F ERHL (50 PCS)	E08KH-02010108801	25	4	36,0	22	7,30	11,2	0,20	0,40	black	√	50	0.08
HI 35/16 ERHL (50 PCS)	E08KH-02010108901	35	2	30,0	16	8,30	12,7	0,20	0,40	beige	√	50	0.07
HI 35/16 DIN ERHL (50 PCS)	E08KH-02010109001	35	2	30,0	16	8,30	12,7	0,20	0,40	red	√	50	0.07
HI 35/18 ERHL (50 PCS)	E08KH-02010109031	35	2	32,0	18	8,30	12,7	0,20	0,40	beige	–	50	0.035
HI 35/18 DIN ERHL (50 PCS)	E08KH-02010109051	35	2	32,0	18	8,30	12,7	0,20	0,40	red	–	50	0.035
HI 35/25 ERHL (50 PCS)	E08KH-02010109101	35	2	39,0	25	8,30	12,7	0,20	0,40	beige	√	50	0.09
HI 35/25 DIN ERHL (50 PCS)	E08KH-02010109201	35	2	39,0	25	8,30	12,7	0,20	0,40	red	√	50	0.09
HI 50/20 ERHL (50 PCS)	E08KH-02010109301	50	1	36,0	20	10,30	15,0	0,30	0,50	olive	√	50	0.08
HI 50/20 DIN ERHL (50 PCS)	E08KH-02010109401	50	1	36,0	20	10,30	15,0	0,30	0,50	blue	√	50	0.08
HI 50/25 ERHL (50 PCS)	E08KH-02010109501	50	1	40,0	25	10,30	15,0	0,30	0,50	olive	√	50	0.1
HI 50/25 DIN ERHL (50 PCS)	E08KH-02010109601	50	1	40,0	25	10,30	15,0	0,30	0,50	blue	√	50	0.1
HI 70/20 ERHL (50 PCS)	E08KH-02010109700	70	2/0	37,0	20	13,50	16,0	0,40	0,60	yellow	–	50	0.12
HI 95/25 ERHL (25 PCS)	E08KH-02010109800	95	3/0	44,0	25	14,50	18,0	0,40	0,60	red	–	25	0.14
HI 120/27 ERHL (25 PCS)	E08KH-02010109900	120	4/0	48,0	27	16,50	20,0	0,45	0,70	blue	–	25	0.22
HI 150/32 ERHL (25 PCS)	E08KH-02010110000	150	250 MCM	58,0	32	19,50	23,0	0,50	1,00	yellow	–	25	0.29